

PRN: a preprint service for catalyzing R-fMRI and neuroscience related studies

Chao-Gan Yan^{1,2,3}, Qingyang Li³, Lei Gao^{3,4}

¹The Nathan Kline Institute for Psychiatric Research, Orangeburg, NY, USA; ²Department of Child and Adolescent Psychiatry, New York University Langone Medical Center, New York, NY, USA; ³Editorial Office of PRN, the R-fMRI Network, Inc., New York, NY, USA; ⁴Department of Radiology, the First Affiliated Hospital of Nanchang University, Nanchang, Jiangxi Province, China.

Corresponding author:

Chao-Gan Yan, Ph.D.

E-mail: ycg.yan@gmail.com

ABSTRACT

Sharing drafts of scientific manuscripts on preprint hosting services for early exposure and pre-publication feedback is a well-accepted practice in fields such as physics, astronomy, or mathematics. The field of neuroscience, however, has yet to adopt the preprint model. A reason for this reluctance might partly be the lack of central preprint services for the field of neuroscience. To address this issue, we announce the launch of Preprints of the R-fMRI Network (PRN), a community funded preprint hosting service. PRN provides free-submission and free hosting of manuscripts for resting state functional magnetic resonance imaging (R-fMRI) and neuroscience related studies. Submissions will be peer viewed and receive feedback from readers and a panel of invited consultants of the R-fMRI Network. All manuscripts and feedback will be freely available online with citable permanent URL for open-access. The goal of PRN is to supplement the “peer reviewed” journal publication system – by more rapidly communicating the latest research achievements throughout the world. We hope PRN will help the field to embrace the preprint model and thus further accelerate R-fMRI and neuroscience related studies, eventually enhancing human mental health.

Keywords: Free-submission, Neuroscience, Open-access, “Peer viewed,” Preprint-hosting, R-fMRI

1. Introduction

Before submitting manuscripts to traditional journals for peer review and publication, researchers in some fields routinely distribute the manuscripts as preprints within their field. In this way, they receive early feedback, which may help in preparing articles for definitive submission as well as rapidly propagating novel ideas to their fields. The well-known central repository for preprints, arXiv (<http://arXiv.org>), was founded in 1991 by Dr. Paul Ginsparg for the field of physics. It gradually expanded to include astronomy, mathematics, computer science, nonlinear science, quantitative biology, and statistics as scientists in these fields began to embrace preprints (Ginsparg, 2011). arXiv now hosts close to one million fulltext preprints (983,739 as of November 1, 2014). Registered users of arXiv can submit manuscripts (multiple versions are allowed) and all users can freely browse, view and cite any articles. Although arXiv lacks rating systems or a feedback mechanism to let users recommend papers of interest to peers or to provide feedback to authors, it is still an invaluable resource for the fields it serves.

However, researchers' attitude toward preprints, varies depending on the field. The field of neuroscience has yet to adopt the practice of releasing preprints. Instead, neuroscientists commonly circulate their manuscripts to collaborators and colleagues for feedback before submission, but distribution is private and limited to small groups. The reason for such limited sharing might partly be the lack of central preprint services for the field. Only in 2013 did two preprint services dedicated to biology emerge for the field of

life science (Callaway, 2013; Van Noorden, 2012). The two preprint services, PeerJ Preprints (<https://peerj.com/preprints/>) started by PeerJ, Inc. and bioRxiv (<http://biorxiv.org>) launched by Cold Spring Harbor Laboratory, are providing preprint hosting services with online feedback and comment systems. It is expected that early feedback will be helpful for authors in revising and improving their articles for later peer review process of traditional journals. Furthermore, commenters can be acknowledged for their contributions in later publication. However, it is only the dawn of neuroscience preprints -- bioRxiv and PeerJ Preprints have only received 56 and 38 neuroscience papers, respectively (as of 11/1/2014, see Table 1). More efforts to facilitate adoption of the preprint model appear to be needed.

A subfield of neuroscience, neuroimaging, especially that which focuses on resting-state functional magnetic resonance imaging (R-fMRI), has emerged as field which is embracing innovations such as open data sharing (e.g., ADHD-200-Consortium, 2012; Biswal et al., 2010; Di Martino et al., 2014; Hall et al., 2012; Mennes et al., 2013; Milham, 2012; Mueller et al., 2005; Satterthwaite et al., 2014; Van Essen et al., 2013; Zuo et al., 2014), open software sharing (e.g., Bellec et al., 2012; Rubinov and Sporns, 2010; Sikka et al., 2014; Song et al., 2011; Taylor and Saad, 2013; Whitfield-Gabrieli and Nieto-Castanon, 2012; Xia et al., 2013; Yan and Zang, 2010; Zang et al., 2012; Zuo and Xing, 2014) and sharing of learning resources (e.g., Training Course in fMRI (<http://sitemaker.umich.edu/fmri.training.course>) and The R-fMRI Course

(<http://rfmri.org/Course>)). As a method to investigate ongoing brain activity in basic, translational and clinical neuroscience studies, R-fMRI has become an increasingly prevalent research area especially in recent years (Fornito and Bullmore, 2012; Fox and Raichle, 2007; Kelly et al., 2012; Van Dijk et al., 2010) considering its sensitivity to characterize developmental, aging and pathological features (Andrews-Hanna et al., 2007; Fair et al., 2008; Greicius, 2008; Zuo et al., 2010), subject-friendly data collection procedures in clinical samples, and high comparability and consistency across studies and sites (ADHD-200-Consortium, 2012; Biswal et al., 2010; Mennes et al., 2013; Tomasi and Volkow, 2012). This field has expanded exponentially, now exceeding more than 1000 studies published per year (Figure 1). Given the emerging traditions of openness in this field, and an increasing number of researchers involved, we believe that the field can benefit from a preprint service that provides peer viewing and commenting.

Accordingly, we are announcing a preprint publication model for catalyzing R-fMRI and related neuroscience studies. We have designed PRN as a community funded, open-access, free-submission, “peer viewed,” preprint service. The goal of PRN is to supplement the “peer reviewed” journal publication system by supporting more rapid communication of the latest research observations throughout the world.

2. Implementation

We have implemented the PRN service based on the success of The R-fMRI Network

(RFMRI.ORG). The R-fMRI Network (RFMRI.ORG) has been designed as a framework to support R-fMRI studies. The R-fMRI Network comprises R-fMRI researchers (the nodes) who are connected by sharing (the edges) with each other. Through the network, imagers can efficiently share ideas, comments, resources, tools, experiences, data, and increasing knowledge of the brain. Researchers (nodes) with basic neuroscience, methodological, or clinical backgrounds can connect with each other in the network. The R-fMRI Network currently has more than 5000 registered members, aiming to enhance collaborations among researchers, especially to translate our knowledge of basic neuroscience and methodology to clinical applications (bench to bedside).

The R-fMRI Network (RFMRI.ORG) is designed with a forum system and an integrated mailing list based on drupal (<http://drupal.org>) and mailman (<http://www.gnu.org/software/mailman/>). As an online forum system, The R-fMRI Network allows researchers to propose research ideas, discuss controversial issues, request help in using software, share experiences, report preliminary results, initiate collaborations and even seek jobs. The R-fMRI Network hosts several instances of R-fMRI software (e.g., DPABI, DPARSF and GraphVar), online learning resources, open data links, and gathers the latest R-fMRI related studies from PubMed. All new posts are sent to all R-fMRI Network registered users via an integrated mailing list, and users can comment on any post by directly replying to the mailing list.

The PRN has been built based on the existing infrastructure of RfMRI.ORG. Submission of a manuscript is as easy as posting a forum post with the paper title as the post title, manuscript title page and abstract as the post content and a PDF version of the fulltext manuscript as an attachment of the post. The preprint manuscript will have a permanent online URL with a convenient commenting system as in the forum system, and with mailing list immediate notification to all registered users. Furthermore, PRN has been empowered with the following features.

3. Features

Preprint

All submissions to PRN are preprint submissions, thus authors can freely revise and submit unrevised or revised manuscripts to formal “peer reviewed” traditional journals which allow preprints. PRN only checks the format of manuscripts, and contacts the corresponding author to confirm his/her approval of submission. As a preprint service, PRN has no peer review process and no editing service.

Open-access

All PRN articles are freely available online after submission. Readers can freely read, download and comment on articles. Like other posts at the R-fMRI Network, all submissions are dated, citable with a permanent URL and indexed by Google.

Furthermore, each PRN submission has a unique URL with a time stamp such as http://rfmri.org/PRN_140828001.

The PRN does not ask the copyright of the work to be transferred, however, the PRN requires sufficient rights to distribute submitted articles in perpetuity as documented at http://rfmri.org/PRN_140831001. In general, the authors should grant the PRN a non-exclusive and irrevocable license to distribute the article, or certify the work is either under Creative Commons Attribution license, or the Creative Commons Attribution-Noncommercial-ShareAlike license.

Free-submission

Unlike other open-access journals, submission to PRN is free of charge.

“Peer viewed”

Articles at PRN will be peer viewed by interested readers and also by consultants. The PRN has enrolled a panel of consultants – each obligated to comment on three PRN papers per six-month period. On a monthly basis, PRN will rate “consultants’ choice” and “readers’ choice” articles. Furthermore, PRN will rate the most active articles, i.e., those which elicited the most comments and revisions – as a way to spur feedback and revision of articles.

Community funded

The PRN is a community funded effort. We encourage all researchers to make a small contribution at <http://rfmri.org/HelpUs> to help the PRN effort, but this is completely voluntary.

4. Compatibility with traditional formal journals

A major concern is that traditional formal journals may refuse to publish manuscripts which were previously made available online on a preprint server. To address this concern, a cross-field discussion on preprints has been initiated with editors-in-chief of journals in neuroscience, physics and mathematics. An editor-in-chief in physics responded that arXiv is invaluable for doing research in physics, and is scanned by most physicists every day. Several editors-in-chief of Neuroscience journals have confirmed that their journals do accept preprint manuscripts. Based on the information of Sherpa-Romeo (<http://www.sherpa.ac.uk/romeo>), we have organized a table of PRN compatible journals (http://rfmri.org/PRN_20140921001). The authors should pay a close attention to the table (http://rfmri.org/PRN_20140921001) before submitting preprint manuscripts to PRN, to avoid jeopardize their subsequent submission to PRN-incompatible journals.

5. Conclusions

We have launched PRN as a preprint service for catalyzing R-fMRI and related neuroscience studies. By empowering this preprint system with an online commenting system and mailing list notification system to promote the newest studies to the R-fMRI

community, as well as inviting R-fMRI experts as consultants to comment on preprint manuscripts, we hope PRN will help the field embrace the preprint model and thus accelerate R-fMRI and related neuroscience studies, eventually enhancing human mental health.

Acknowledgements

We thank Drs. Charles E. Schroeder, F. Xavier Castellanos and Yu-Feng Zang for their assistance and support for the PRN effort. This work is supported by the community contributors (<http://rfmri.org/Contributors>).

Author Contributions

Conceived and designed the experiments: CY. Performed the experiments: CY QL LG. Analyzed the data: CY QL LG. Contributed reagents/materials/analysis tools: CY QL. Wrote the paper: CY QL LG.

Conflict of interest statement

The authors declare that PRN receives technical support and hosting service from My Research Network (RNET.PW).

References

ADHD-200-Consortium, 2012. The ADHD-200 Consortium: A Model to Advance the

198 Translational Potential of Neuroimaging in Clinical Neuroscience. *Front Syst*
199 *Neurosci* 6, 62.

200 Andrews-Hanna, J.R., Snyder, A.Z., Vincent, J.L., Lustig, C., Head, D., Raichle, M.E.,
201 Buckner, R.L., 2007. Disruption of large-scale brain systems in advanced aging.
202 *Neuron* 56, 924-935.

203 Bellec, P., Lavoie-Courchesne, S., Dickinson, P., Lerch, J.P., Zijdenbos, A.P., Evans,
204 A.C., 2012. The pipeline system for Octave and Matlab (PSOM): a lightweight
205 scripting framework and execution engine for scientific workflows. *Frontiers in*
206 *neuroinformatics* 6, 7.

207 Biswal, B.B., Mennes, M., Zuo, X.N., Gohel, S., Kelly, C., Smith, S.M., Beckmann, C.F.,
208 Adelstein, J.S., Buckner, R.L., Colcombe, S., Dogonowski, A.M., Ernst, M., Fair,
209 D., Hampson, M., Hoptman, M.J., Hyde, J.S., Kiviniemi, V.J., Kotter, R., Li, S.J.,
210 Lin, C.P., Lowe, M.J., Mackay, C., Madden, D.J., Madsen, K.H., Margulies, D.S.,
211 Mayberg, H.S., McMahon, K., Monk, C.S., Mostofsky, S.H., Nagel, B.J., Pekar,
212 J.J., Peltier, S.J., Petersen, S.E., Riedl, V., Rombouts, S.A., Rypma, B., Schlaggar,
213 B.L., Schmidt, S., Seidler, R.D., G, J.S., Sorg, C., Teng, G.J., Veijola, J.,
214 Villringer, A., Walter, M., Wang, L., Weng, X.C., Whitfield-Gabrieli, S.,
215 Williamson, P., Windischberger, C., Zang, Y.F., Zhang, H.Y., Castellanos, F.X.,
216 Milham, M.P., 2010. Toward discovery science of human brain function. *Proc*
217 *Natl Acad Sci U S A* 107, 4734-4739.

218 Callaway, E., 2013. Preprints come to life. *Nature* 503, 180.

219 Di Martino, A., Yan, C.G., Li, Q., Denio, E., Castellanos, F.X., Alaerts, K., Anderson,
 220 J.S., Assaf, M., Bookheimer, S.Y., Dapretto, M., Deen, B., Delmonte, S., Dinstein,
 221 I., Ertl-Wagner, B., Fair, D.A., Gallagher, L., Kennedy, D.P., Keown, C.L.,
 222 Keysers, C., Lainhart, J.E., Lord, C., Luna, B., Menon, V., Minshew, N.J., Monk,
 223 C.S., Mueller, S., Muller, R.A., Nebel, M.B., Nigg, J.T., O'Hearn, K., Pelphrey,
 224 K.A., Peltier, S.J., Rudie, J.D., Sunaert, S., Thioux, M., Tyszka, J.M., Uddin, L.Q.,
 225 Verhoeven, J.S., Wenderoth, N., Wiggins, J.L., Mostofsky, S.H., Milham, M.P.,
 226 2014. The autism brain imaging data exchange: towards a large-scale evaluation
 227 of the intrinsic brain architecture in autism. *Mol Psychiatry* 19, 659-667.
 228 Fair, D.A., Cohen, A.L., Dosenbach, N.U., Church, J.A., Miezin, F.M., Barch, D.M.,
 229 Raichle, M.E., Petersen, S.E., Schlaggar, B.L., 2008. The maturing architecture of
 230 the brain's default network. *Proc Natl Acad Sci U S A* 105, 4028-4032.
 231 Fornito, A., Bullmore, E.T., 2012. Connectomic intermediate phenotypes for psychiatric
 232 disorders. *Frontiers in psychiatry / Frontiers Research Foundation* 3, 32.
 233 Fox, M.D., Raichle, M.E., 2007. Spontaneous fluctuations in brain activity observed with
 234 functional magnetic resonance imaging. *Nat Rev Neurosci* 8, 700-711.
 235 Ginsparg, P., 2011. ArXiv at 20. *Nature* 476, 145-147.
 236 Greicius, M., 2008. Resting-state functional connectivity in neuropsychiatric disorders.
 237 *Curr Opin Neurol* 21, 424-430.
 238 Hall, D., Huerta, M.F., McAuliffe, M.J., Farber, G.K., 2012. Sharing heterogeneous data:
 239 the national database for autism research. *Neuroinformatics* 10, 331-339.

- 240 Kelly, C., Biswal, B.B., Craddock, R.C., Castellanos, F.X., Milham, M.P., 2012.
 241 Characterizing variation in the functional connectome: promise and pitfalls.
 242 Trends Cogn Sci 16, 181-188.
- 243 Mennes, M., Biswal, B.B., Castellanos, F.X., Milham, M.P., 2013. Making data sharing
 244 work: The FCP/INDI experience. Neuroimage 82, 683-691.
- 245 Milham, M.P., 2012. Open neuroscience solutions for the connectome-wide association
 246 era. Neuron 73, 214-218.
- 247 Mueller, S.G., Weiner, M.W., Thal, L.J., Petersen, R.C., Jack, C.R., Jagust, W.,
 248 Trojanowski, J.Q., Toga, A.W., Beckett, L., 2005. Ways toward an early
 249 diagnosis in Alzheimer's disease: the Alzheimer's Disease Neuroimaging
 250 Initiative (ADNI). Alzheimers Dement 1, 55-66.
- 251 Rubinov, M., Sporns, O., 2010. Complex network measures of brain connectivity: Uses
 252 and interpretations. Neuroimage 52, 1059-1069.
- 253 Satterthwaite, T.D., Elliott, M.A., Ruparel, K., Loughhead, J., Prabhakaran, K., Calkins,
 254 M.E., Hopson, R., Jackson, C., Keefe, J., Riley, M., Mentch, F.D., Sleiman, P.,
 255 Verma, R., Davatzikos, C., Hakonarson, H., Gur, R.C., Gur, R.E., 2014.
 256 Neuroimaging of the Philadelphia neurodevelopmental cohort. Neuroimage 86,
 257 544-553.
- 258 Sikka, S., Cheung, B., Khanuja, R., Ghosh, S., Yan, C.-g., Li, Q., Vogelstein, J., Burns,
 259 R., Colcombe, S., Craddock, C., Mennes, M., Kelly, C., Dimartino, A.,
 260 Castellanos, F., Milham, M., 2014. Towards Automated Analysis of Connectomes:

- 261 The Configurable Pipeline for the Analysis of Connectomes (C-PAC). 5th INCF
 262 Congress of Neuroinformatics, Munich, Germany.
- 263 Song, X.W., Dong, Z.Y., Long, X.Y., Li, S.F., Zuo, X.N., Zhu, C.Z., He, Y., Yan, C.G.,
 264 Zang, Y.F., 2011. REST: A Toolkit for Resting-State Functional Magnetic
 265 Resonance Imaging Data Processing. PLoS ONE 6, e25031.
- 266 Taylor, P.A., Saad, Z.S., 2013. FATCAT: (an efficient) Functional and Tractographic
 267 Connectivity Analysis Toolbox. Brain Connect 3, 523-535.
- 268 Tomasi, D., Volkow, N.D., 2012. Abnormal functional connectivity in children with
 269 attention-deficit/hyperactivity disorder. Biol Psychiatry 71, 443-450.
- 270 Van Dijk, K.R., Hedden, T., Venkataraman, A., Evans, K.C., Lazar, S.W., Buckner, R.L.,
 271 2010. Intrinsic functional connectivity as a tool for human connectomics: theory,
 272 properties, and optimization. J Neurophysiol 103, 297-321.
- 273 Van Essen, D.C., Smith, S.M., Barch, D.M., Behrens, T.E., Yacoub, E., Ugurbil, K.,
 274 Consortium, W.U.-M.H., 2013. The WU-Minn Human Connectome Project: an
 275 overview. Neuroimage 80, 62-79.
- 276 Van Noorden, R., 2012. Journal offers flat fee for 'all you can publish'. Nature 486, 166.
- 277 Whitfield-Gabrieli, S., Nieto-Castanon, A., 2012. Conn: a functional connectivity toolbox
 278 for correlated and anticorrelated brain networks. Brain Connect 2, 125-141.
- 279 Xia, M., Wang, J., He, Y., 2013. BrainNet Viewer: a network visualization tool for
 280 human brain connectomics. PLoS ONE 8, e68910.
- 281 Yan, C.G., Zang, Y.F., 2010. DPARSF: A MATLAB Toolbox for "Pipeline" Data

282 Analysis of Resting-State fMRI. *Front Syst Neurosci* 4, 13.

283 Zang, Z.X., Yan, C.G., Dong, Z.Y., Huang, J., Zang, Y.F., 2012. Granger causality
 284 analysis implementation on MATLAB: A graphic user interface toolkit for fMRI
 285 data processing. *J Neurosci Methods* 203, 418-426.

286 Zuo, X.-N., Anderson, J.S., Bellec, P., Birn, R.M., Biswal, B.B., Blautzik, J., Breitner,
 287 J.C.S., Buckner, R.L., Calhoun, V.D., Castellanos, F.X., Chen, A., Chen, B., Chen,
 288 J., Chen, X., Colcombe, S.J., Courtney, W., Craddock, R.C., Di Martino, A.,
 289 Dong, H.-M., Fu, X., Gong, Q., Gorgolewski, K.J., Han, Y., He, Y., He, Y., Ho,
 290 E., Holmes, A., Hou, X.-H., Huckins, J., Jiang, T., Jiang, Y., Kelley, W., Kelly, C.,
 291 King, M., LaConte, S.M., Lainhart, J.E., Lei, X., Li, H.-J., Li, K., Li, K., Lin, Q.,
 292 Liu, D., Liu, J., Liu, X., Liu, Y., Lu, G., Lu, J., Luna, B., Luo, J., Lurie, D., Mao,
 293 Y., Margulies, D.S., Mayer, A.R., Meindl, T., Meyerand, M.E., Nan, W., Nielsen,
 294 J.A., O'Connor, D., Paulsen, D., Prabhakaran, V., Qi, Z., Qiu, J., Shao, C.,
 295 Shehzad, Z., Tang, W., Villringer, A., Wang, H., Wang, K., Wei, D., Wei, G.-X.,
 296 Weng, X.-C., Wu, X., Xu, T., Yang, N., Yang, Z., Zang, Y.-F., Zhang, L., Zhang,
 297 Q., Zhang, Z., Zhang, Z., Zhao, K., Zhen, Z., Zhou, Y., Zhu, X.-T., Milham, M.P.,
 298 2014. An open science resource for establishing reliability and reproducibility in
 299 functional connectomics. *Scientific Data* 1.

300 Zuo, X.N., Kelly, C., Di Martino, A., Mennes, M., Margulies, D.S., Bangaru, S.,
 301 Grzadzinski, R., Evans, A.C., Zang, Y.F., Castellanos, F.X., Milham, M.P., 2010.
 302 Growing together and growing apart: regional and sex differences in the lifespan

303 developmental trajectories of functional homotopy. J Neurosci 30, 15034-15043.
304 Zuo, X.N., Xing, X.X., 2014. Test-retest reliabilities of resting-state FMRI measurements
305 in human brain functional connectomics: a systems neuroscience perspective.
306 Neurosci Biobehav Rev 45, 100-118.
307

308 Table 1. Overview of neuroscience related preprint manuscripts on online preprint
 309 services (as of 11/1/2014).

310


Name	SCOPE	Initial	Link	Fulltext hosted	Neuroscience related	fMRI related
arXiv	Mathematics, physics, astronomy, computer science, quantitative biology, statistics, and quantitative finance.	August 14, 1991	arXiv.org	984,747	475*	142***
BioRxiv	All aspects of research in the life sciences but does not accept clinical studies or clinical trials.	November 11, 2013	bioRxiv.org	825	56**	6***
Peer J PrePrints	Biological Sciences, Medical Sciences, and Health Sciences	April 3, 2013.	peerj.com/preprints	581	38**	5***

311 *: Number of articles returned by searching the key word “neuroscience” on arxiv.org

312 **: Number of articles in the neuroscience sub-category of the corresponding websites

313 ***: Number of articles returned by searching the key word “fMRI” on corresponding websites.

314 **Figure 1.** Number of R-fMRI related studies in PubMed (key words:
315 "resting+state+fmri").



316